

Issues

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|-----------------|--|-------------|--------------|----------------|------------|---|
| 104826 | invis-backup | LVM Snapshot des Root-Volumes lässt sich mit 5er Kernen nicht mounten, wenn es mit BtrFS formatiert ist. | In Progress | flacco | 0.11 | 2024-03-31 | |
| 46718 | invis-sub-setup | Create a setup-script for invis-sub-server | In Progress | | 1.0 | | Related to #38303 |
| 38303 | invis-sub-setup | Create a rpm package with basic directories, config files and dependencies | In Progress | flacco | 1.0 | | Related to #46718 |
| 31636 | invisAD-client | bringing invis-client package to opensuse factory | In Progress | kf Freitag | | | |
| 67552 | invisAD-setup | Provide a changelog | Feedback | ingogoeppert | Future | | |
| 63634 | invisAD-setup | We should publish a list with the expiry dates of all VPN client certs | New | | Future | | |
| 57308 | invisAD-setup | Domain names are restricted to two parts | Workable | flacco | Future | | |
| 54389 | invisAD-setup | DNS-Updates via DHCP-Server should be possible | New | | Future | | |
| 43424 | invisAD-setup | Add the functionality to create kopano-ressources to the user management inside the invis-portal | In Progress | flacco | Future | | |
| 37414 | invisAD-setup | Implementation of SingleSignOn | In Progress | | Future | | |
| 111974 | invisAD-setup | Problem mit DNS bei Übernahme eines bestehenden AD | In Progress | flacco | 14.3 | 2024-02-29 | |
| 110265 | invisAD-setup | Info-Datei im transfer Laufwerk sollte korrekte Anzahl Tage ausgeben | New | ingogoeppert | | 2024-02-29 | |
| 98042 | invisAD-setup | Release invis-Server 14.3 | In Progress | flacco | 14.3 | 2024-04-30 | Related to #97775, Related to #81114, Related to #81080, Related to #67543, Related to #36511 |
| 67543 | invisAD-setup | Upgrade Test from invis-Server 14.1 to 14.3 (14.2 wird nicht veröffentlicht) | Workable | flacco | 14.3 | 2024-04-30 | Related to #98042 |
| 67540 | invisAD-setup | Build Kimai 2.0 package | In Progress | flacco | Future | 2024-04-30 | |
| 81076 | invisAD-setup | DHCP-Server Konfiguration im AD so vorbereiten, dass der Server Routen pushen kann. | In Progress | flacco | Future | 2024-12-31 | |
| 71107 | Jump 15.2 | Document how customers using SLE and users using openSUSE Jump can reach the same content | New | lkocman | | | |
| 70957 | Jump 15.2 | Maintenance setup for Jump | New | lkocman | | | |
| 70954 | Jump 15.2 | Agree on the scope of co-operation of Package Hub and Release team for incoming changes to Backports | New | lkocman | | | |
| 70393 | Jump 15.2 | gdb fails to build on non-intel arches since fpc is build only for x86_64 in packagehub | New | | | | |
| 70303 | Jump 15.2 | Disable ignore_missing_packages bit in the ftp tree build | New | | | | |
| 70300 | Jump 15.2 | Create pool repository for SUSE:SLE-15-SP2:Update | New | | | | |
| 70297 | Jump 15.2 | Move to openSUSE:Backports:SLE-15-SP2:Update, openSUSE:Backports:SLE-15-SP2:GA is all done and locked | New | | | | |
| 70255 | Jump 15.2 | Fork packages for Rejected CtLG Features | New | lkocman | | | |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|-----------------------|--|-------------|------------|----------------|------------|---|
| 67366 | Jump 15.2 | [containers] test fails in docker_runc "Error exporting container" for ppc64le Leap15.2 | New | | | | |
| 66274 | Jump 15.2 | Numerous Packages in openSUSE:Jump:15.2 are outdated compared to SUSE:SLE-15-SP2:GA | New | | | | |
| 66271 | Jump 15.2 | Where are Jump sources stored? | New | adrianSuSE | | | |
| 65525 | Jump 15.2 | Initial Project setup | New | | | | |
| 71101 | Jump 15.2 | bugzilla setup let's add Jump 15.2.1 as a version | Blocked | lkocman | | 2020-09-08 | |
| 70951 | Jump 15.2 | Agree on scope of review/testing for incoming changes from SLE before the product image gets build. | In Progress | lkocman | | 2020-09-10 | |
| 73459 | Jump 15.2 | Fork packages for CtLG Features targeting SLE 15 SP3 | New | lkocman | | 2020-10-16 | |
| 68770 | MicroOS 15.2 | document how to integrate with health-checker | New | | | | |
| 67252 | MicroOS 15.2 | update wiki | In Progress | cwh | | | |
| 65762 | MicroOS 15.2 | enable package list generator | New | | | | |
| 67255 | MicroOS 15.2 | location on download.o.o | In Progress | | | 2020-06-02 | |
| 68767 | MicroOS 15.2 | Document how to create containers for MicroOS | New | | | 2020-07-31 | |
| 68746 | MicroOS 15.2 | improve raspberry pi wiki pages | New | | | 2020-07-31 | |
| 138113 | openQA auto review | [qe-sap] test fails in hana_cluster auto_review:"(command . *rpm.-q.ClusterTools2.*timed out script timeout.+cs_wait_for_idle.--sleep.5)":retry | New | acarvajal | | | |
| 135980 | openQA auto review | [qe-sap] test fails in hana_install copying from NFS server qesap-nfs with timeout auto_review:"command .*(mnt/x86_64 mount -t nfs -o ro qesap-nfs rsync -azr.*sapinst/).*timed out" | New | | | | Copied from #135938 |
| 135263 | openQA auto review | [qe-core] test fails in yast2_lan - openqa.suse.de is not resolving auto_review:"command 'getent ahosts openqa.suse.de' failed":force_result:softfailed | New | | | | |
| 134873 | openQA auto review | [qe-core][tools]test fails in update_install, 'query_smelt' - wrong response code returned auto_review:"Unexpected response code from SMELT":force_result:softfailed | New | | QE-Core: Ready | | Related to #135896 |
| 134807 | openQA auto review | [qe-core] test fails in bootloader_start - missing assets on s390 | New | | | | Related to #127337, Related to #134912, Related to #137384, Copied to #137321 |
| 159186 | openQA Infrastructure | [alert] Systemd-services alert failing due to unit "rsnapshot@alpha" on host "storage" | New | | Ready | | Related to #153742 |
| 159165 | openQA Infrastructure | Ensure that rsyncd is properly covered in salt states | New | | Ready | | |
| 159069 | openQA Infrastructure | network-level firewall preventing direct ssh+vnc access to all machines within the oqa.prg2.suse.org network if needed | Blocked | okurz | Tools - Next | | Copied from #159066 |
| 159066 | openQA Infrastructure | network-level firewall preventing direct ssh+vnc access to openQA test VMs | New | | Ready | | Copied from #158242, Copied to #159069 |
| 159063 | openQA Infrastructure | s390x qemu backend host within SUSE networks | New | | Tools - Next | | |
| 159048 | openQA Infrastructure | Setup new Power10 machine for QE LSG in PRG2 (S/N 7882391) | Blocked | okurz | Ready | | |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|-----------------------|--|----------|------------|----------------|----------|--|
| 158907 | openQA Infrastructure | Automated check for machines marked as "unused" in racktables but still pingable (as they should not be powered on at all) size:M | Blocked | nicksinger | Ready | | Copied from #158383 |
| 158709 | openQA Infrastructure | typing issue on ppc64 worker - with automatic CPU load based limiting in place let's increase the instances on mania again | New | | future | | Copied from #158125 |
| 158505 | openQA Infrastructure | Failed systemd services alert for jenkins-plugins-update size:S | Feedback | okurz | Tools - Next | | Related to #157438, Related to #132893, Related to #130375 |
| 158386 | openQA Infrastructure | Crosscheck which machines marked as "unused" in racktables still draw power according to ePDU data (as they should not be powered on and wasting significant power at all) - NUE2 size:M | Workable | | Ready | | |
| 158380 | openQA Infrastructure | Detect and switch off from monitoring data which monitored machines show a too low CPU usage over time | New | | future | | Copied from #158377 |
| 158377 | openQA Infrastructure | Detect from monitoring data which monitored machines show a too low CPU usage over time size:M | Workable | | Ready | | Copied to #158380 |
| 158374 | openQA Infrastructure | [epic] Prevention of inefficient hardware resource use | New | | Tools - Next | | |
| 158266 | openQA Infrastructure | openQA jobs on diesel ppc64le fail due to auto_review:"QEMU: This is probably because your SMT is enabled." | Blocked | okurz | Ready | | |
| 158170 | openQA Infrastructure | Increase resources for s390x kvm size:M | Workable | nicksinger | Ready | | Related to #153958 |
| 158116 | openQA Infrastructure | typing issue on ppc64 worker - crosscheck performance impact of ffmpeg on ppc64le (Power8 kvm) size:M | Workable | | Tools - Next | | Copied from #158104 |
| 157750 | openQA Infrastructure | Better secure the networks to have s390kvm... (and others) less accessible | New | | Tools - Next | | |
| 157738 | openQA Infrastructure | Use rstp_enable=True on o3 as well | New | | future | | Copied from #155929 |
| 157726 | openQA Infrastructure | osd-deployment Failed pipeline for master (worker3[6-9].oqa.prg2.suse.org) | Blocked | okurz | future | | Related to #157666, Related to #157669 |
| 157636 | openQA Infrastructure | remove NOVIDEO=1 from ppc64le workers | New | zcjia | future | | Related to #158104 |
| 157606 | openQA Infrastructure | Prevent missing gre tunnel connections in our salt states due to misconfiguration | New | | future | | Copied from #157534 |
| 157528 | openQA Infrastructure | Remove redundant ASM connections for powerPC machines size:S | Workable | | Ready | | |
| 155764 | openQA Infrastructure | Consider switching to safer filesystems than ext2 in osd+o3 | New | | future | | Copied from #155716 |
| 155743 | openQA Infrastructure | OBSRSync fails to sync openSUSE:Factory:PowerPC:ToTest (was: WARNINGS: failed is 452.00 in Munin - minion Minion Jobs on o3) | Blocked | livdywan | Tools - Next | | |
| 155482 | openQA Infrastructure | [qe-sap] Update contact person for racktable entries with Lee Martin | New | acarvajal | future | | |
| 155200 | openQA Infrastructure | Periodically running simple ping-check multi-machine tests on ppc64le covering multiple physical hosts on OSD alerting tools team on failures size:M | Workable | | future | | Copied from #154624 |
| 155089 | openQA Infrastructure | Automatically comment on tickets not using one of our templates | New | | future | | Copied from #137837 |
| 154180 | openQA Infrastructure | Proper kvm asset cleanup for s390x kvm backend (svirt) and tests | Workable | | future | | Related to #18608, Copied from #150887 |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|-----------------------|---|----------|----------|----------------|----------|---|
| 152098 | openQA Infrastructure | [research][timeboxed:10h] Learn more about openvswitch with experimenting together size:S | Workable | | future | | Related to #138302, Copied from #152095, Copied to #152101 |
| 151606 | openQA Infrastructure | Ensure that the tap class is fully enabled on petrol | New | | future | | Copied from #150995 |
| 151582 | openQA Infrastructure | [epic] Future improvements for QE infrastructure salt management | New | | future | | |
| 151570 | openQA Infrastructure | [qe-core] Cleanup openQA jobgroups | New | | future | | |
| 151307 | openQA Infrastructure | [grafana] migrate deprecated angular plugins | New | | future | | |
| 151130 | openQA Infrastructure | IPv6 for openqa.opensuse.org and open.qa | Blocked | okurz | future | | Related to #133358 |
| 150995 | openQA Infrastructure | Fix MM setup on diesel so test scenarios like ha_ctdb_supportservertest-ppc-mm work | New | | future | | Related to #136130, Copied to #151606 |
| 150986 | openQA Infrastructure | [timeboxed:10h] Prevent cpu over-allocation in openQA worker service definitions | New | | future | | Copied from #133511 |
| 150869 | openQA Infrastructure | Ensure multi-machine tests work on aarch64-o3 (or another but single machine only) size:M | Workable | | Ready | | Related to #137771, Related to #135035, Copied from #136133 |
| 139202 | openQA Infrastructure | Consolidate the current use or make use of PRG2-J : Rack J11 - OpenQA Rack : H03-ch1 https://racktables.nue.suse.com/index.php?page=object&object_id=23373 | New | | future | | |
| 139154 | openQA Infrastructure | Re-enable worker33 for multi-machine tests in production | New | | future | | Related to #138698, Copied from #139070 |
| 139103 | openQA Infrastructure | Long OSD ppc64le job queue - Decrease number of x86_64 worker slots on osd to give ppc64le jobs a better chance to be assigned jobs size:M | Blocked | okurz | Tools - Next | | Related to #151382, Copied from #139100 |
| 139070 | openQA Infrastructure | Re-enable worker34 for multi-machine tests in production | Blocked | okurz | future | | Related to #138698, Copied from #138707, Copied to #139154 |
| 138707 | openQA Infrastructure | Re-enable worker32 for multi-machine tests in production | Blocked | okurz | future | | Related to #138698, Copied from #137756, Copied to #139070 |
| 138683 | openQA Infrastructure | https://metrics.opensuse.org/d/osrt_openqa/osrt-openqa?orgId=1&from=now-7d&to=now should show current results ... which apparently it doesn't | New | | future | | Related to #138545 |
| 138374 | openQA Infrastructure | Ensure all salt managed machines show grub and boot log and Getty on ipmi sol size:M | Workable | | future | | |
| 138275 | openQA Infrastructure | Ensure that there is proper ownership and maintainership for qanet.qa.suse.cz | Blocked | okurz | future | | Related to #153880 |
| 137810 | openQA Infrastructure | Add openqa_logwarn for osd sending to osd-admins@suse.de respectively | New | | future | | Related to #97544, Copied from #57239 |
| 137114 | openQA Infrastructure | openQA workers fail to register after bootup due to unable to resolve openqa.suse.de but manage to do so immediately when restarting worker services | New | | future | | Related to #137075, Copied from #131309 |
| 136967 | openQA Infrastructure | Monitor number of uploading jobs in grafana | New | | future | | Copied from #134927 |
| 136958 | openQA Infrastructure | Add Grafana panel for number of workers | New | | future | | Copied from #135239 |
| 136952 | openQA Infrastructure | Consider lowering the threshold for job age and job queue alerts | New | | future | | Copied from #135239 |
| 135944 | openQA Infrastructure | Implement a constantly running monitoring/debugging VM for the multi-machine network | New | | future | | Related to #134282 |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|-----------------------|---|----------|----------|----------------|----------|---|
| 135662 | openQA Infrastructure | Make the state of deployments (and rollbacks) more discoverable | New | | future | | Copied from #134723 |
| 135008 | openQA Infrastructure | Max job age graphs use mean aggregation when max would make more sense | New | | future | | Related to #105804 |
| 135005 | openQA Infrastructure | Reduce duplication in salt-pillars-openqa openqa/workerconf.sls with advanced YAML/jinja features | New | | future | | Related to #116845 |
| 134852 | openQA Infrastructure | gitlab CI job fails in telegraf check with unsupported option since telegraf package on monitor.qa.suse.de was downgraded due to invalid repo metadata | New | | future | | Related to #134042 |
| 134846 | openQA Infrastructure | Old NFS share mount is keeping processes stuck and openQA workers seem up but do not work on jobs | New | | future | | Related to #132146 |
| 134819 | openQA Infrastructure | Errors in salt minion and master log on osd | New | | future | | Related to #134522, Related to #133457, Related to #133469 |
| 134585 | openQA Infrastructure | Display the job age per architecture | New | | future | | |
| 134492 | openQA Infrastructure | [tools] QA-Power8-2-8247-22L-SN1010D5A is not working size:M | Workable | | future | | |
| 134135 | openQA Infrastructure | openqa-monitor.qa.suse.de salt CI deploy telegraf check shows error about "could not find file: [/etc/dehydrated/certs/monitor.qe.nue2.suse.org/fullchain.pem]" | New | | future | | |
| 134126 | openQA Infrastructure | Setup new PRG2 openQA worker for o3 - bare-metal testing size:M | Blocked | okurz | Tools - Next | | Related to #132647, Copied from #132134 |
| 134081 | openQA Infrastructure | Setup new PRG2 openQA hardware https://racktables.suse.de/index.php?page=object&object_id=23373 | New | | future | | Copied from #132137 |
| 134048 | openQA Infrastructure | openqa-piworker does not restart openQA worker processes after upgrades as it is not a salt minion in "worker" role | New | | future | | |
| 133991 | openQA Infrastructure | Cover same metric for different hosts with a single alert rule | New | | future | | Related to #133130 |
| 133907 | openQA Infrastructure | Improve monitoring for http(s?) reachable on jenkins.qa.suse.de size:M | Workable | | future | | |
| 133700 | openQA Infrastructure | Network bandwidth graphs per switch, like https://mrtg.suse.de/qanet13nue , for all current top-of-rack switches (TORs) that we are connected to size:M | Blocked | okurz | future | | Related to #138698 |
| 133475 | openQA Infrastructure | Migration of o3 VM to PRG2 - connection to rabbit.opensuse.org | New | | future | | Copied from #132143 |
| 133388 | openQA Infrastructure | Unavailable developer mode on ow18 | New | | future | | |
| 133358 | openQA Infrastructure | Migration of o3 VM to PRG2 - Ensure IPv6 is fully working | Blocked | okurz | future | | Related to #133403, Related to #134948, Related to #151130, Related to #156322, Copied from #132143 |
| 132998 | openQA Infrastructure | [alert] [FIRING:1] openqaworker-arm-3: Memory usage alert openQA (openqaworker-arm-3 memory_usage_alert_openqaworker-arm-3 worker) size:M | Workable | | future | | Copied to #133511 |
| 132926 | openQA Infrastructure | OSD cron -> (fetch_openqa_bugs)> /tmp/fetch_openqa_bugs_osd.log failed size:M | Workable | | future | | Related to #133097 |
| 132827 | openQA Infrastructure | [tools][qe-core]test fails in rsync_client/salt-master, DNS resolve issue with workers "sapworker*" on multi-machine tests size:M | Workable | | future | | Related to #132932, Related to #133025, Related to #132137, Blocked by #133127 |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|-----------------------|--|----------|----------|----------------|----------|---|
| 132647 | openQA Infrastructure | Migration of o3 VM to PRG2 - bare-metal tests size:M | Blocked | okurz | future | | Related to #134126, Related to #153706, Copied from #132143, Copied to #133490 |
| 132467 | openQA Infrastructure | [epic] Prevent redundant salt state.apply actions that are executed in every call | New | | future | | |
| 132440 | openQA Infrastructure | Research productive workflows for reviews on GitHub | New | | future | | |
| 132380 | openQA Infrastructure | Multiple empty folders in grafana linked to alerts | New | | future | | |
| 132293 | openQA Infrastructure | Ensure cleaned up tenants in netbox | New | | future | | |
| 132275 | openQA Infrastructure | [epic] Better o3 monitoring | Blocked | okurz | future | | Related to #132815 |
| 130778 | openQA Infrastructure | Treat some openqa-clone-job failures non-fatal in openqa-investigate hook | New | | future | | Copied from #99741 |
| 130378 | openQA Infrastructure | Integration of extra salt repositories as salt formulas size:M | Workable | | future | | |
| 129121 | openQA Infrastructure | performance: various tests fail receiving data at usable speed over the internet | New | | future | | |
| 129032 | openQA Infrastructure | ipmitool monitoring | New | | future | | Copied from #128654 |
| 128870 | openQA Infrastructure | [alert] DatasourceError for "InfluxDB not reachable" size:M | Blocked | okurz | future | | |
| 128513 | openQA Infrastructure | Apache Response Time monitoring dashboard is slow to render and should be made lighter | New | | future | | Copied from #127052 |
| 128222 | openQA Infrastructure | [virtualization] The Xen specific host configuration on openqaw5-xen can be re-created from salt size:M | New | | future | | Related to #128417, Related to #131519 |
| 126941 | openQA Infrastructure | [spike] Evaluate a move of the osd database to its own VM | New | | future | | |
| 125219 | openQA Infrastructure | Use qa-power8 for ppc tests in o3 - try the other suggestions | New | | future | | Related to #126821, Copied from #125216 |
| 125141 | openQA Infrastructure | Salt pillars deployment pipeline failed on "tumblesle" due to invalid security sensor repo size:M | Workable | | future | | |
| 125054 | openQA Infrastructure | Review https://github.com/alexellis/awesome-baremetal | New | | future | | |
| 124562 | openQA Infrastructure | Re-install at least one of the new OSD workers located in Prague | New | | future | | Related to #128999, Copied from #113366 |
| 123712 | openQA Infrastructure | PowerVM HMC within o3, e.g. on VM | New | | future | | Copied from #119059 |
| 123226 | openQA Infrastructure | Temperature monitoring in SUSE QE lab size:M | New | | future | | Copied from #123028 |
| 121600 | openQA Infrastructure | Add monitoring for connected machines inside "our" network which are not present in racktables | New | | future | | |
| 121597 | openQA Infrastructure | Implement automated racktables sanity check | New | | future | | |
| 121507 | openQA Infrastructure | lscsi issue on OSD worker | New | | future | | Related to #120831 |
| 121171 | openQA Infrastructure | Consider using pngquant for speedup | New | | future | | |
| 120651 | openQA Infrastructure | [openQA][infra][ipmi][worker][api] The expected pattern CMD_FINISHED-xxxxx returned but did not show up in serial log (wait_serial timed out) size:M | New | | future | | Related to #119446, Related to #122302, Related to #120270 |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|-----------------------|---|----------|----------|----------------|----------|--|
| 120279 | openQA Infrastructure | Proper maintainership for openqa_service VM size:M | Workable | | future | | Related to #120874, Copied from #120276 |
| 120169 | openQA Infrastructure | Make s390x kvm workers also use FQDN instead of IPv4 in salt pillars for VIRSH_GUEST | New | | future | | Copied from #109241 |
| 120145 | openQA Infrastructure | Where can we see which services are blocked ourselves in SUSE networks? | New | | future | | |
| 120115 | openQA Infrastructure | [qem-dashboard] Use new openQA job settings API to show more data | New | | future | | Related to #117655 |
| 120064 | openQA Infrastructure | SSD SAN storage (NetApp) for O3 would improve user experience (can not just buy drives on our own) | New | | future | | Related to #131147 |
| 119755 | openQA Infrastructure | Use a PowerVM machine to serve both PowerVM LPARs for testing as well as one VM running qemu tests | New | | future | | Copied from #119059 |
| 119479 | openQA Infrastructure | openqABot pipeline failed after runner getting stuck for 1h0m0s size:M | Workable | | future | | Related to #133457 |
| 118891 | openQA Infrastructure | Make alerts depend on each other | New | | future | | Related to #118375 |
| 118375 | openQA Infrastructure | Do not alert about "packet loss" if hosts are down | New | | future | | Related to #118891, Copied from #117172 |
| 116968 | openQA Infrastructure | separate email or mailing list address for os-autoinst related development, e.g. circleCI bot account | New | | future | | |
| 116716 | openQA Infrastructure | Repurpose ix64ph1079, ix64ph1080, ix64ph1081, e.g. as openQA workers | New | | future | | Related to #107731, Copied to #136121 |
| 116473 | openQA Infrastructure | Add OSD PowerPC workers to automatic recovery we already have for ARM workers | New | | future | | Related to #114565, Related to #116437 |
| 115925 | openQA Infrastructure | aarch64: Random QEMU failures while retrieving host CPU features | New | | future | | |
| 115763 | openQA Infrastructure | Add new feature to create a dependency that could be derived automatically from asset settings | New | | future | | Related to #113644 |
| 114992 | openQA Infrastructure | Broken MM machines don't appear as available workers | New | | future | | Copied from #64700 |
| 114866 | openQA Infrastructure | Handle a trailing slash in NEEDLES_DIR correctly | New | | future | | Has duplicate #115283 |
| 114622 | openQA Infrastructure | Identification of unused/idle machines by alarming when there is no traffic on the corresponding switch ports for some time | New | | future | | |
| 114523 | openQA Infrastructure | Deal with QEMU and OVMF default resolution being 1280x800, affecting (at least) qxl, but on aarch64 size:M | Workable | | future | | Related to #113794, Related to #114493, Related to #114550, Related to #114769, Blocks #115919, Copied from #111992 |
| 114400 | openQA Infrastructure | [qe-core] Rebalance OpenQA worker distribution | New | | future | | Copied from #113701 |
| 113800 | openQA Infrastructure | Setup o3 to run rootless containers on worker hosts | New | | future | | Copied from #109737 |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|-----------------------|---|----------|----------|----------------|----------|---|
| 113701 | openQA Infrastructure | [qe-core] Move workers back to grenache | New | | future | | Related to #116794, Related to #116287, Related to #119443, Copied from #113528, Copied to #114400 |
| 113357 | openQA Infrastructure | UEFI PXE or "network boot" support within .qa.suse.de size:M | Workable | | future | | Related to #81192 |
| 112943 | openQA Infrastructure | Consider running explicitly triggered `vacuum ANALYZE` after every database migration | New | | future | | |
| 112850 | openQA Infrastructure | Make pgstatstatements persistent on OSD (in salt) | New | | future | | Related to #130594, Copied from #112718 |
| 112787 | openQA Infrastructure | Use different users for our database accesses so that we can debug where load comes from | New | | future | | Copied from #112718 |
| 110545 | openQA Infrastructure | Investigate and fix higher instability of openqaworker-arm-4/5 vs. arm-1/2/3 - further things to try size:M | Workable | | future | | Copied to #111578 |
| 110467 | openQA Infrastructure | Establish reliable tap setup on ow14 | New | | future | | Related to #104970 |
| 110191 | openQA Infrastructure | CI checks should ensure that apparmor changes are correct | New | | future | | Copied from #91605 |
| 109635 | openQA Infrastructure | Check grafana monitoring host performance size:M | Workable | | future | | Related to #107881 |
| 109112 | openQA Infrastructure | Improve os-autoinst sshXtermVt.pm connection error handling (was: "Test died: Error connecting to <root@redcurreant-4.qa.suse.de>: No route to host") size:M | Workable | | future | | Related to #98832, Related to #117127, Has duplicate #109719 |
| 108974 | openQA Infrastructure | Loan Fujitsu server for OpenQA FIPS testing needs | New | | future | | |
| 108872 | openQA Infrastructure | Outdated information on openqaw5-xen https://racktables.suse.de/index.php?page=object&tab=default&object_id=3468 | New | cachen | future | | Related to #131519, Copied from #108845 |
| 108266 | openQA Infrastructure | grenache: script_run() commands randomly time out since server room move | New | | future | | Related to #107437, Related to #108503, Related to #108845, Related to #108953, Related to #109620, Related to #127337, Copied to #108323 |
| 107980 | openQA Infrastructure | openqa-aarch64 - kernel traces in dmesg "watchdog: BUG: soft lockup - CPU#.* stuck for .*s! [qemu-system-aar:.*)" | New | | future | | Related to #54914 |
| 107794 | openQA Infrastructure | openqa-logwarn is missing messages | New | | future | | |
| 107023 | openQA Infrastructure | cmd returned 31744 repeatedly reported on o3 | New | | future | | Related to #105828, Copied from #106756 |
| 106841 | openQA Infrastructure | Try using tmpfs on openqaworker1 to use RAM more efficiently | New | | future | | Related to #30595 |
| 106766 | openQA Infrastructure | DBI Exception: DBD::Pg::st execute failed: ERROR: invalid input syntax for type integer reported on o3 | New | | future | | |
| 106760 | openQA Infrastructure | DBI Exception: DBD::Pg::st execute failed: number of parameters must be between 0 and 65535 repeatedly reported on o3 | New | | future | | Copied from #105828 |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|-----------------------|--|----------|----------|----------------|----------|---|
| 106756 | openQA Infrastructure | cmd returned 32768 repeatedly reported on o3 | New | | future | | Copied from #105828, Copied to #107023 |
| 105013 | openQA Infrastructure | backup o3 worker config files | New | | future | | |
| 103380 | openQA Infrastructure | Configure retention/downsampling policy for specific monitoring data stored within InfluxDB | New | | future | | Related to #94492 |
| 100985 | openQA Infrastructure | Come up with a way to regularly check job group configs for outliers and misconfiguration, e.g. overly long result retention periods | New | | future | | Copied from #100859, Copied to #100988 |
| 100979 | openQA Infrastructure | configure better auto-vacuum for our database(s) | New | | future | | Copied from #100976 |
| 100976 | openQA Infrastructure | specific alert about the size of our database, maybe even database tables? | New | | future | | Copied from #100859, Copied to #100979 |
| 100841 | openQA Infrastructure | Improve logging for libvirt hosts | New | szarate | future | | Follows #97532 |
| 99138 | openQA Infrastructure | Provide ratio of tests by result in monitoring - by job group | New | | future | | Copied from #99135, Copied to #99141 |
| 98835 | openQA Infrastructure | arm jobs failing (again?) with auto_review:"backend died: Open vSwitch command 'set_vlan' with arguments .*was not provided by any .service files":retry | New | | future | | Related to #75274, Related to #88807 |
| 98682 | openQA Infrastructure | jobs run powerqaworker-qam-1 fail with auto_review:"(?s)powerqaworker-qam-1.*Can't write to file (.*) : No space left on device at .*:retry size:M | Workable | | future | | Related to #97139 |
| 98661 | openQA Infrastructure | Tweak worker numbers for openqaworker-arm-4 and arm-5 | New | | future | | Related to #90275 |
| 97859 | openQA Infrastructure | Improve network for OSD | New | | future | | Copied from #97043 |
| 97745 | openQA Infrastructure | [virtualization][hyperv] ensure_serialdev_permissions fails for hyperv | New | | future | | Related to #102236, Related to #105536, Related to #105521, Related to #40715, Related to #107302 |
| 97640 | openQA Infrastructure | have a secondary backup openQA webUI instance in another location than OSD, e.g. PRG | New | | future | | Copied from #97415 |
| 97412 | openQA Infrastructure | Reduce I/O load on OSD by using more cache size on workers with using free disk space when available instead of hardcoded space | New | | future | | Copied from #96554 |
| 97409 | openQA Infrastructure | Re-use existing filesystems on workers after reboot if possible to prevent full worker asset cache re-syncing | New | | future | | Copied from #96554 |
| 96683 | openQA Infrastructure | Reducing the number of worker slots leads to failing systemd units | New | | future | | |
| 96552 | openQA Infrastructure | Persistent records of I/O usage by process size:M | Workable | | future | | Related to #96447, Copied from #96551 |
| 94495 | openQA Infrastructure | Migrate to InfluxDB 2 when needed (at least when our current OS base has a package) | New | | future | | |
| 94399 | openQA Infrastructure | No alert when arm workers are offline, alert if telegraf throws errors size:M | Workable | | future | | Related to #94438 |
| 93138 | openQA Infrastructure | openqa-reload-worker-auto-restart and openqa-worker-auto-restart fail if numofworkers is reduced | New | | future | | Related to #62441 |
| 91626 | openQA Infrastructure | Deployment emails should cover rollback | New | | future | | |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|-------|-----------------------|--|-------------|-------------|----------------|----------|--------------------|
| 90062 | openQA Infrastructure | osd deployment fails in "record package versions pre-deploy" maybe because a kernel update is pending? | Workable | | future | | |
| 89398 | openQA Infrastructure | OSD deployment stopped prematurely due to "System management is locked by the application with pid 29165 (zypper)" | New | | future | | |
| 88197 | openQA Infrastructure | Workflow for staged deployments | Workable | | future | | |
| 88195 | openQA Infrastructure | Full test of salt states including Dbus on CI | Workable | | future | | |
| 81308 | openQA Infrastructure | Show actual percentage in partitions usage (%) alert | New | | future | | |
| 80990 | openQA Infrastructure | some jobs incomplete with auto_review:"(?s)Running on[^\n]*Linux 5.3.18.*Migrate to file failed, it has been running for more than 240 seconds":retry , seems to happen since upgrade to Leap 15.2 | New | | future | | |
| 80824 | openQA Infrastructure | o3: Migrate from SuSEfirewall2 to firewalld | Workable | | future | | |
| 80732 | openQA Infrastructure | Monitoring on log alerts, also on grafana log alerts, maybe grafana-loki? | Workable | | future | | |
| 78348 | openQA Infrastructure | osd: Some job group obsolete definitions should be removed | New | | future | | |
| 78314 | openQA Infrastructure | Order 2 VMs for the LinuxONE Community Cloud | New | AdaLovelace | future | | |
| 78226 | openQA Infrastructure | [epic] Prevent or better handle OOM conditions on worker machines | Workable | | future | | Copied from #78058 |
| 78222 | openQA Infrastructure | Persistent postgres setup and configuration in salt | Workable | | future | | Copied from #76903 |
| 77317 | openQA Infrastructure | chat bot to conduct daily checks, alerts, reminders, etc. | New | | future | | Related to #81106 |
| 73297 | openQA Infrastructure | auto_review:"(?s)Running on openqa-aarch64:. *considering VNC stalled.*THERE IS NOTHING TO READ" | In Progress | ggardet_arm | future | | Related to #72079 |
| 71590 | openQA Infrastructure | [osd][alert] Implement proper monitoring of needed resources of workers | New | | future | | |
| 69718 | openQA Infrastructure | harmonize timezone used for our machines | Workable | | future | | |
| 68633 | openQA Infrastructure | alert if there is no worker active for any existant machine class | New | | future | | |
| 66610 | openQA Infrastructure | Prevent misleading login failing over http on https-enabled instances, e.g. disable non-SSL in production openQA instances using OpenID (OSD, o3) at least for login attempts | New | | future | | |
| 66019 | openQA Infrastructure | Configure downsampling and a retention policy for InfluxDB | Workable | | future | | |
| 65555 | openQA Infrastructure | [qe-core][functional][core] html5test.opensuse.org includes non-existing file | New | | future | | |
| 64803 | openQA Infrastructure | harmonize IPMI username and password auto_review:"(sonic tails)-sp.qa.suse.de.*Unable to establish IPMI" | New | | future | | |
| 64580 | openQA Infrastructure | Detect and recover from I/O blocked worker machines, e.g. openqaworker-arm-{1,2,3}.suse.de | Workable | | future | | Copied from #41882 |
| 64541 | openQA Infrastructure | Issues with DNS resolving in QEMU | Blocked | favogt | future | | |
| 63382 | openQA Infrastructure | /usr/share/qemu/ovmf-x86_64-staging{,-code,-vars}.bin on workers is not installed by any package, e.g. missing on imagetester | New | | future | | Related to #135137 |
| 62666 | openQA Infrastructure | Move openqa.opensuse.org into opensuse private network | New | | future | | |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|-----------------------|--|----------|-----------|----------------|------------|---|
| 61221 | openQA Infrastructure | osd: unable to save needles, minion fails with "fatal: Unable to create '/var/lib/openqa/.../needles/.git/index.lock'" | New | | future | | Related to #70774, Related to #89560 |
| 60962 | openQA Infrastructure | Enable multi-machine capability for all configured workers | New | | future | | Related to #63853 |
| 59621 | openQA Infrastructure | osd: Sporadically high CPU and IO load (vdd), grafana alerts "Disk I/O time for /dev/vdd" and "CPU usage", also other disks | New | | future | | Related to #110269 |
| 57239 | openQA Infrastructure | Add/fix openqa_logwarn for o3 and osd sending to o3-admins@suse.de and osd-admins@suse.de respectively | Workable | | future | | Related to #35290, Related to #99741, Related to #97544, Related to #97247, Copied to #137810 |
| 55316 | openQA Infrastructure | monitoring alerts for too long running database queries | New | | future | | Copied from #55313 |
| 54785 | openQA Infrastructure | tap devices not in any zone, error reported by firewalld | Workable | | future | | Related to #52499 |
| 44183 | openQA Infrastructure | Add checks on transactional-update workers using "health-checker" | New | | future | | |
| 42467 | openQA Infrastructure | http://jenkins.qa.suse.de/job/monitor-openQA_in_openQA-TW fails to write comments in OBS project, monitor-openqa_job expects package name for OBS api, not project | New | | future | | |
| 40196 | openQA Infrastructure | [monitoring] monitor internal port 9526, port 80, external port 443 accessibility of o3 and response times size:M | Blocked | jbaier_cz | Tools - Next | | Related to #39743, Blocked by #156322 |
| 18608 | openQA Infrastructure | [qe-core][tools][sle][functional][research][medium] Implement proper clean up for images on jump hosts, e.g. s390pb, hyperv host, svirt and a proper monitoring | Blocked | okurz | future | | Related to #32932, Related to #32926, Related to #32929, Related to #31507, Related to #154180, Follows #19080 |
| 38516 | openQA Infrastructure | [tools] Disable memory autoballoonning on openqaw5-xen | Workable | | future | 2018-11-06 | |
| 97976 | openQA Infrastructure | [alert] OSD file systems - assets | New | | future | 2021-10-01 | Related to #96789 |
| 126677 | openQA Infrastructure | salt-states-openqa fails with 0 errors and result False messages buried in one of several places | New | | future | 2023-04-14 | |
| 150815 | openQA Infrastructure | unable to login over ssh to o3 (gate.opensuse.org:2214) size:M | Blocked | okurz | Tools - Next | 2024-04-30 | Related to #139244 |
| 159174 | openQA Project | Decrease load on remote git servers by not cloning CASEDIR/NEEDLE_DIR from every worker | New | | | | Blocked by #159171 |
| 159171 | openQA Project | Create and maintain up to date version of test distri/needles for webui | New | | | | Blocks #159174 |
| 159168 | openQA Project | [openqa-in-openqa] https://openqa.opensuse.org/group_overview/24?limit_builds=50 very broken since 2024-04-16 | Feedback | mkittler | Ready | | |
| 158859 | openQA Project | SyntaxError: Unexpected token '<', " when searching for "- {}" in the web UI | New | | Ready | | Copied from #157774 |
| 158847 | openQA Project | [epic] Automated handling of test requirements, e.g. packages | New | | future | | |
| 158811 | openQA Project | Add an automated way to install testsuite dependencies on the worker | New | | future | | Related to #157273 |
| 158511 | openQA Project | Try to optimize the startup time of isotovideo more | New | okurz | future | | Copied from #157339 |
| 158167 | openQA Project | [epic] Increase worker capacity | New | okurz | future | | Copied from #108209 |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|----------------|---|----------|----------|----------------|----------|---|
| 158146 | openQA Project | Prevent scheduling across-host multimachine clusters to hosts that are marked to exclude themselves | New | | future | | Copied from #158143 |
| 158143 | openQA Project | Make workers unassign/reject/incomplete jobs when across-host multimachine setup is requested but not available | New | | future | | Copied from #135035, Copied to #158146 |
| 157996 | openQA Project | Upgrade all other LSG QE salt controlled machines to openSUSE Leap 15.6 | New | | future | | Copied from #130648 |
| 157993 | openQA Project | Ensure devel:openQA is built correctly for Leap 15.6 | New | | future | | Copied from #130627 |
| 157990 | openQA Project | Upgrade OBS package CI checks to Leap 15.6 (os-autoinst+openQA) size:M | New | | future | | Copied from #130603 |
| 157987 | openQA Project | Upgrade qam hosts maintained by us to latest stable, i.e. Leap 15.6 | New | | future | | Copied from #130600 |
| 157984 | openQA Project | Upgrade CI container image versions to Leap 15.6 | New | | future | | Copied from #130597 |
| 157981 | openQA Project | Upgrade osd webUI host to openSUSE Leap 15.6 | New | | future | | Copied from #130594 |
| 157978 | openQA Project | Upgrade o3 webUI host to openSUSE Leap 15.6 | New | | future | | Copied from #130591 |
| 157975 | openQA Project | Upgrade osd workers to openSUSE Leap 15.6 | New | | future | | Copied from #130588 |
| 157972 | openQA Project | Upgrade o3 workers to openSUSE Leap 15.6 | New | | future | | Copied from #130585 |
| 157969 | openQA Project | [epic] Upgrade all our infrastructure, e.g. o3+osd workers+webui and production workloads, to openSUSE Leap 15.6 | New | okurz | future | | Copied from #130582 |
| 157774 | openQA Project | Empty scenario definitions causing Use of uninitialized value \$testsuite_name in hash element in lib/OpenQA/Schema/Result/JobGroups.pm size:S | Feedback | livdywan | Ready | | Copied to #158859 |
| 157690 | openQA Project | Simple global limit of registered/online workers | New | | future | | |
| 157684 | openQA Project | cycle execution health check in openqa-scheduler | New | | future | | |
| 157681 | openQA Project | Profiling using NYTProf for openqa-websockets and openqa-scheduler | New | | future | | |
| 157675 | openQA Project | Optimize openqa-scheduler database queries, e.g. "SELECT value FROM worker_properties..." | New | | future | | |
| 157669 | openQA Project | websockets+scheduler improvements | New | | future | | Related to #157666, Related to #157726 |
| 157660 | openQA Project | A single webUI search view to show all not-ok tests blocking a SLE maintenance incident size:M | New | | future | | Copied from #156547 |
| 157612 | openQA Project | Bump openQA version from 4.6.x to 5.x to be consistent with semver | New | okurz | future | | |
| 157510 | openQA Project | [epic] Up-to-date JavaScript stack | New | | future | | |
| 157345 | openQA Project | [epic] Improved test reviewer user experience | New | | future | | Copied from #154771 |
| 157342 | openQA Project | Partial product re-scheduling scheduled whole build | New | | Tools - Next | | Related to #138593 |
| 157282 | openQA Project | [tools] openQA seems show wrong VNC access information in developer mode for NON-QEMU backend setups | New | | Tools - Next | | |
| 157273 | openQA Project | Run os-autoinst-distri-openQA directly from git without anything related in /var/lib/openqa/share/tests - Follow-up with ideas not tried out in the spike solution #157270 size:M | Blocked | dheidler | Ready | | Related to #158811, Related to #158826, Copied from #157270 |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|----------------|---|----------|----------|----------------|----------|---|
| 157231 | openQA Project | Show version of candidate needles the test ran on in the "diff view" on the test details page - all the rest | New | | Tools - Next | | Copied from #157159 |
| 157171 | openQA Project | Track version in last match/seen needle statistics | New | | future | | Follows #154783 |
| 157165 | openQA Project | The needle editor allows to create needles based on the ref the current test ran on | New | | Tools - Next | | Follows #157159 |
| 157159 | openQA Project | Show version of candidate needles the test ran on in the "diff view" on the test details page | New | | Tools - Next | | Related to #156922, Follows #154783, Precedes #157165, Copied to #157231 |
| 157144 | openQA Project | [epic] Groups of worker classes: Regions, locations, etc. | New | | future | | Related to #135035 |
| 156922 | openQA Project | Run os-autoinst-distri-openQA directly from git without anything related in o3:/var/lib/openqa/share/tests | Blocked | okurz | Tools - Next | | Related to #157159, Copied from #154783, Copied to #157270 |
| 156862 | openQA Project | Consider removing/reworking least used testapi functions | New | | Tools - Next | | |
| 156859 | openQA Project | Improve most used testapi functions | New | | future | | Copied from #138032 |
| 156697 | openQA Project | Make test variables traceable | New | | future | | Related to #157333 |
| 156631 | openQA Project | [epic] Generic, retroactive tags | New | | future | | |
| 156553 | openQA Project | [timeboxed:10h][spike solution] openQA webUI search view to show all tests blocking an incident by squad - take 2 | Blocked | okurz | Ready | | Copied from #131279 |
| 156547 | openQA Project | A single API route to show all not-ok tests blocking a SLE maintenance incident size:M | Workable | | Ready | | Copied from #131279, Copied to #157660 |
| 156340 | openQA Project | Evaluate the use of year 2024 web development frameworks to simplify our stack, e.g. alpine.js, htmx, vanilla CSS nesting | New | | Tools - Next | | |
| 156277 | openQA Project | [qe-core] Some jobs are retrigged by geekttest (likely obs-sync plugin) without clear answer why | New | szarate | QE-Core: Ready | | Copied from #138593 |
| 156247 | openQA Project | [openqa-in-openqa] VM in "install/prepare" only shows black screen | New | | future | | |
| 156169 | openQA Project | Automatically validate ay-openqa-worker.xml.erb | New | | Tools - Next | | Related to #155305 |
| 156091 | openQA Project | Use codescene for finding knowledge islands and complex code | New | | Tools - Next | | |
| 156088 | openQA Project | Verify os-autoinst GitHub organization | New | | Tools - Next | | |
| 156055 | openQA Project | [research][timeboxed:20h] Evaluate if https://htmx.org/ can simplify and reduce what we have defined as procedural javascript code, jquery leftovers, etc. size:M | Workable | | Tools - Next | | |
| 155770 | openQA Project | What or who cloned a job should be visible in the web UI | New | | future | | |
| 155767 | openQA Project | Job groups managed in git should not be editable via the web UI | New | | future | | |
| 155731 | openQA Project | [brainstorm] Be more robust about spurious errors | New | | Tools - Next | | Copied from #9966 |
| 155608 | openQA Project | [epic] Gnome openQA Wishlist | New | | future | | Related to #109912 |
| 155557 | openQA Project | Implement visitor analytics for openQA | New | | future | | |
| 155491 | openQA Project | Extend documentation for single-instance-container covering at least how to trigger/clone existing jobs | New | | Tools - Next | | Copied from #155473 |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|----------------|---|--------|----------|----------------|----------|---|
| 155488 | openQA Project | [epic] openQA can dynamically power off/on available machines based on scheduler needs | New | | future | | |
| 155485 | openQA Project | [saga][epic] Efficient openQA worker pool resource handling in datacenters | New | | future | | |
| 155413 | openQA Project | Ensure apparmor is enforced in openQA-in-openQA tests | New | | Tools - Next | | Copied from #153427 |
| 155398 | openQA Project | Be able to filter out groupless jobs from API (and UI) queries | New | | Tools - Next | | Copied from #134933 |
| 155215 | openQA Project | [epic] Fan-in openQA test results to trigger IBS comments and other events | New | | future | | |
| 155191 | openQA Project | Unify GitHub Actions for QA Projects - perlritic in os-autoinst | New | | Ready | | Copied from #155188 |
| 155188 | openQA Project | Unify GitHub Actions for QA Projects - perltidy&perlritic in openQA | New | | Ready | | Copied from #155062, Copied to #155191 |
| 155086 | openQA Project | Install and enable Redmine Issue Templates on Progress | New | | future | | Copied from #137837 |
| 155065 | openQA Project | Unify GitHub Actions for QA Projects - use as many common static checks within all os-autoinst repos as possible | New | | future | | Copied from #138416 |
| 154798 | openQA Project | Batch update for jobs | New | | future | | Related to #120118 |
| 154777 | openQA Project | [saga][epic] Shareable os-autoinst and test distribution plugins | New | | future | | Related to #58184 |
| 154771 | openQA Project | [epic] Improved test developer user experience | New | | future | | Related to #153928, Copied to #157345 |
| 154768 | openQA Project | [saga][ux] State-of-art user experience for openQA | New | | future | | Related to #87695, Related to #154261, Related to #113614, Related to #129931 |
| 154735 | openQA Project | [error in gru journal] DBIx::Class::Storage::DBI::select_single(): Query returned more than one row | New | | Tools - Next | | |
| 154639 | openQA Project | Need to find a way to early failure of tests which will anyway due to some infra issues | New | | future | | |
| 154381 | openQA Project | Support selecting and copying text from webui popups | New | | future | | |
| 154063 | openQA Project | [tools] Provide a template for tickets that includes commonly required details | New | | future | | Related to #137837 |
| 154036 | openQA Project | Allow to search for comments or tests by comment in the UI "search" bar | New | | future | | Copied from #151402 |
| 154027 | openQA Project | [UI][UX] Allow to search for tests by comment on the UI in /tests | New | | future | | |
| 153922 | openQA Project | Adding filter options like "Include job groups" in multi-job-group-id filtered view removes all job groups by one | New | | future | | Related to #134933, Related to #154537 |
| 153610 | openQA Project | [sporadic] Unstable OBS checks in devel:openQA/os-autoinst on aarch64 | New | | future | | |
| 153574 | openQA Project | [epic] UML and doxygen-like design documentation for os-autoinst | New | | future | | |
| 153460 | openQA Project | schedule boot_to_desktop and the test module(s) changed if the change is on tests/ in os-autoinst-distri-opensuse | New | | future | | |
| 153304 | openQA Project | The wait_serial in script_run on a serial console fails for very long commands | New | | future | | |
| 153111 | openQA Project | [openQA][console][ipmi][sol] xterm process quits and ipmi sol console crashes | New | | future | | |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|----------------|---|---------|------------|----------------|----------|--|
| 153013 | openQA Project | [openQA][repo][error] openQA instance keeps reporting "dubious ownership" error when test run starts | New | | future | | Related to #153015 |
| 152851 | openQA Project | Notify about reproducible *infrastructure* issues using openqa-investigate | New | | future | | Copied from #151399 |
| 152849 | openQA Project | RISC-V testing on openqa.o.o | New | | future | | |
| 152847 | openQA Project | [epic] version control awareness within openQA for test distributions | Blocked | okurz | Ready | | |
| 152737 | openQA Project | Support for triggering parallel (multi-machine-)tests within a configured zone or location | New | | future | | Copied from #135035 |
| 152278 | openQA Project | [qe-core] Create a benchmark for workers to understand how a worker's performance | New | | future | | |
| 151513 | openQA Project | [epic] Provide more flexible openQA worker + general hypervisor setup | New | | future | | |
| 151249 | openQA Project | Cover changed code in PRs on github.com/os-autoinst/os-autoinst-distri-opensuse with openQA test runs | New | | future | | Related to #150992 |
| 150944 | openQA Project | Consider showing the investigation tab for "parallel_failed" as well | New | | future | | Copied from #150920 |
| 139010 | openQA Project | [epic] Long OSD ppc64le job queue | New | | future | | Related to #139271, Copied from #136130 |
| 138653 | openQA Project | Ensure our handling of "secrets", i.e. _SECRET variables, is documented | New | | future | | |
| 138593 | openQA Project | Restart of scheduled products is prone to retriggers by humans | New | | future | | Related to #157342, Copied to #156277 |
| 138365 | openQA Project | [epic] openQA works in SELinux enforced environments | Blocked | okurz | Tools - Next | | |
| 138263 | openQA Project | Strip unneeded code from os-autoinst-setup-multi-machine | New | | future | | Related to #133025 |
| 137840 | openQA Project | Implement automation to ensure templates are used | New | | future | | Copied from #136007 |
| 137441 | openQA Project | Timestamps to the screenshots in openQA result list to relate to log files | New | | future | | |
| 137243 | openQA Project | Allow "search" feature to include or exclude types of results like code or job groups | New | | future | | Copied from #137240 |
| 137240 | openQA Project | Extend "search" feature by looking up test results aka finished jobs | New | | future | | Copied from #71422, Copied to #137243 |
| 137132 | openQA Project | Link from scheduled job settings to possible workers | New | | future | | |
| 136232 | openQA Project | os-autoinst IPMI backend need dell_sleep whenever ipmitool command successfully or not | New | dawei_pang | future | | |
| 136226 | openQA Project | os-autoinst IPMI backend incorrectly handle empty return value | New | dawei_pang | future | | |
| 136127 | openQA Project | Implement record warning feature similar to record softfail | New | | future | | Copied from #134723 |
| 135929 | openQA Project | Misleading UI when looking at a parent/child job that have been cancelled | New | | future | | |
| 135824 | openQA Project | Add 'open raw' and 'clipboard copy' to openqa text screenshots | New | | future | | |
| 135782 | openQA Project | auto-review+force-result ticket does not seem to have an effect when issue tracker changed after the initial comment when carry-over is effective | New | | future | | Related to #107923, Related to #123724 |
| 135644 | openQA Project | Long job age and jobs not executed for long - malbec not working on jobs since 2023-09-13 - scheduler reserving slots for multi-machine clusters which never come | New | | future | | Copied from #135578 |
| 135356 | openQA Project | openqa-trigger-bisect-jobs skips bisecting tests with only one incident | New | | future | | |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|----------------|--|----------|----------|----------------|----------|--|
| 135353 | openQA Project | openqa-investigate on demand | New | | future | | |
| 135089 | openQA Project | Persistent setup of huge pages for aarch64 openQA workers | New | | future | | |
| 134924 | openQA Project | Websocket server overloaded, affected worker slots shown as "broken" with graceful disconnect in workers table | New | | future | | Related to #135122 |
| 134840 | openQA Project | Show that an openQA job is busy in the early state of running instead of empty live view and log | New | | future | | |
| 134255 | openQA Project | hook scripts called twice for incomplete jobs | New | | future | | |
| 133901 | openQA Project | [o3 logreport] DBD::Pg::st execute failed: ERROR: invalid input syntax for type bigint: "1" | New | | future | | |
| 133613 | openQA Project | Support for passing non-US-keyboard letters to the 'type_string' function size:M | New | | future | | Copied from #133451 |
| 133472 | openQA Project | Pentesting of o3 | New | | future | | |
| 133319 | openQA Project | Backend dies when passing russian letters to the 'type_string' function | New | | future | | Copied to #133451 |
| 133238 | openQA Project | Cannot add columns to the jobs table due to 92->93 migration logic | New | | future | | |
| 133112 | openQA Project | Switch unit tests to Test2-Suite | New | | future | | |
| 132941 | openQA Project | Minion hook script can't delete job comments | New | | future | | |
| 132938 | openQA Project | Allow inheritance in python test modules | New | | future | | Related to #132656 |
| 132899 | openQA Project | API parameter `page` does nothing | New | | future | | |
| 132458 | openQA Project | Fix documentation ambiguity about openQA-worker installation on SLE | New | | future | | |
| 132455 | openQA Project | No notification for failed minion hook scripts | New | | future | | |
| 132395 | openQA Project | Current openQA+os-autoinst+dependencies are updated automatically in SLE+packagehub | New | | future | | Copied from #132236 |
| 132236 | openQA Project | Current openQA+os-autoinst+dependencies updated in SLE+packagehub size:M | Workable | | Ready | | Copied from #128651, Copied to #132395 |
| 132161 | openQA Project | Improve performance of openQA's workers table | New | | future | | |
| 131516 | openQA Project | Consider creating a separate tmp dir filesystem, e.g. tmpfs? | New | | future | | Related to #131471, Copied from #131447 |
| 131471 | openQA Project | Leftover worker temporary directories in /tmp on OSD and O3 size:M | Workable | | future | | Related to #131447, Related to #131516, Related to #131465 |
| 131450 | openQA Project | [openQA-in-openQA] test fails in openqa_webui due to missing characters in typing size:M | Workable | | future | | |
| 130940 | openQA Project | Trigger openQA tests mentioned in github comments as part of automatic testing as well | New | okurz | Tools - Next | | |
| 130850 | openQA Project | [epic] Use openqa-clone-custom-git-refspec to parse github description+comments and trigger openQA tests as part of CI | Blocked | okurz | Tools - Next | | Related to #63712 |
| 130694 | openQA Project | Easily add jobs or builds to the Activity View | New | | future | | Copied from #130655 |
| 130655 | openQA Project | [epic] Notifications for users with ntfy.sh | New | | future | | Copied to #130694 |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|----------------|---|----------|----------|----------------|----------|---|
| 130636 | openQA Project | high response times on osd - Try nginx on osd with enabled load limiting or load balancing features | New | | future | | Related to #157081, Related to #158059, Copied from #129490 |
| 130423 | openQA Project | Improved code coverage in os-autoinst - all the rest | New | | future | | Copied from #130420 |
| 130420 | openQA Project | Improved code coverage in os-autoinst - testapi | New | | future | | Copied from #130417, Copied to #130423 |
| 130417 | openQA Project | Improved code coverage in os-autoinst - consoles | New | | future | | Copied to #130420 |
| 130414 | openQA Project | [epic] Improved code coverage in os-autoinst | New | | future | | |
| 130381 | openQA Project | tracker for https://github.com/os-autoinst/openQA/issues/5180 "Stop displaying the latest image in 'Live View' after qemu has stopped" size:M | Workable | | future | | |
| 130129 | openQA Project | [qe-core] Document qe-core onboarding and training path | New | | future | | |
| 129949 | openQA Project | Enable build+test of openQA and deps on s390x | Blocked | okurz | Ready | | |
| 129673 | openQA Project | Change the default of the video encoder options in os-autoinst | New | | future | | Related to #77842 |
| 129481 | openQA Project | Try to *reduce* number of apache workers to limit concurrent requests causing high CPU usage | New | | future | | Blocked by #129619, Copied from #128789 |
| 129409 | openQA Project | space aware cleanup: Configuration switch to enable/disable cleanup of important results | New | | future | | Copied from #129406 |
| 129406 | openQA Project | Add dry-run for space aware cleanup | New | | future | | Copied to #129409 |
| 129313 | openQA Project | [epic] openQA on ALP | New | | future | | |
| 129307 | openQA Project | Prominently present the presence of failed minion jobs to openQA admins | New | | future | | |
| 128936 | openQA Project | API endpoint /api/v1/jobs/:jobid/set_done can be very slow | New | | future | | Related to #128345 |
| 128426 | openQA Project | [epic] openQA test harness to execute playwright tests | New | | future | | Copied from #128423 |
| 128423 | openQA Project | [gsoc] Container-based backend for openQA | New | | future | | Copied to #128426 |
| 128366 | openQA Project | [epic] further improvement after we did ensure all our database tables accomodate enough data | New | | future | | Copied from #109846 |
| 128318 | openQA Project | [spike][timeboxed:20h] Current openQA+os-autoinst+dependencies in pure SLE size:M | Workable | | Ready | | Copied to #128651, Copied to #154723 |
| 128156 | openQA Project | [epic] Support filtering/grouping/searching of settings by domain | New | | future | | |
| 127910 | openQA Project | [epic] openQA in SLE modules | Blocked | okurz | Tools - Next | | Related to #127883, Copied from #127028 |
| 127868 | openQA Project | [qaaas] openQA test results should be archived and not tampered size:M | New | | future | | |
| 127739 | openQA Project | ASSET_1 gets outdated value when using openqa-clone-custom-git-refspec | New | | future | | |
| 127568 | openQA Project | Openqa log can not show detail syntax error | New | | future | | |
| 127538 | openQA Project | Provide version less container paths as default for openQA containers | New | | future | | |
| 127331 | openQA Project | Extend os-autoinst autotest::loadtest doc string to cover python | New | | future | | |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|----------------|---|----------|-----------|----------------|----------|--|
| 127286 | openQA Project | Run openQA (webUI+worker) based on SLE+packagehub size:M | Blocked | jbaier_cz | Tools - Next | | Related to #130369, Copied from #127034, Copied to #127757 |
| 127265 | openQA Project | Add timestamp to influxdb openqa_download_rate size:M | Workable | | future | | Copied from #127055 |
| 127238 | openQA Project | It's not possible to remove own force_result comments, and they are carried over | New | | future | | |
| 127046 | openQA Project | t: os-autoinst - qemu keeps running when test runs into timelimit size:M | Workable | | future | | Related to #157339 |
| 127040 | openQA Project | [epic] Scale out: Easier and automated disaster recovery deployments of openQA | New | | future | | Copied from #98472 |
| 127037 | openQA Project | os-autoinst on SLE+packagehub size:M | Workable | | Ready | | Copied to #127541 |
| 127028 | openQA Project | [epic] openQA on SLE+packagehub | Blocked | okurz | Tools - Next | | Related to #123301, Copied to #127910 |
| 127016 | openQA Project | Duplicate auto_review comments | New | | future | | |
| 126938 | openQA Project | [spike] Simple load-balancing proxy for select API routes | New | | future | | |
| 126935 | openQA Project | Promote /experimental/jobs/.../status as non-experimental API | New | | future | | |
| 126800 | openQA Project | Add keyboard shortcuts on the openqa job page | New | | future | | |
| 126065 | openQA Project | Provide an easy way to slow down test interaction around needle matches | New | | future | | |
| 126062 | openQA Project | Implement gradual mouse motions as an option | New | | future | | |
| 125990 | openQA Project | Allow client-side validation of YAML files posted via `openqa-cli` | New | | future | | Related to #92311 |
| 125708 | openQA Project | [epic] Future ideas for more stable non-qemu backends | New | | future | | Copied from #109656 |
| 125138 | openQA Project | Pick color-blindness friendly colors for the needle editor | New | | future | | |
| 125102 | openQA Project | Support multi machine when triggering job use 'isos post' | New | | future | | |
| 124487 | openQA Project | [openqa_logwarn] Can't call method "BUILD" on an undefined value at /usr/share/openqa/script/.../lib/OpenQA/WebAPI/Plugin/AMQP.pm | New | | future | | |
| 124394 | openQA Project | [epic] openqa-clone-job should check for missing assets when explicitly selected by option or by default on "--within-instance" | New | | future | | Copied from #124146 |
| 123972 | openQA Project | s390x tests fail to log into VNC console on worker2 due to already present VM with same mac address, check within backend | New | | future | | Copied from #123960 |
| 123664 | openQA Project | os-autoinst does not flush serial console buffer on snapshot reload | New | | future | | |
| 123625 | openQA Project | No event emitted for jobs restarted via `RETRY`, jobs cancelled via `_job_stop_cluster`, and other cases | New | | future | | |
| 123175 | openQA Project | o3 fails to download images resulting in zero sized disk images/isos | New | | future | | Related to #120067, Related to #123649 |
| 122959 | openQA Project | Add pagination for /api/v1/jobs with latest=1 feature active | New | | future | | Related to #121102 |
| 122791 | openQA Project | New PostgreSQL query deadlock on assets table | New | | future | | Related to #121768 |
| 122749 | openQA Project | Censor RabbitMQ credentials in log messages | New | | future | | |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|----------------|---|-------------|-------------|----------------|----------|--|
| 122665 | openQA Project | [epic] Improved PowerVM testing | New | | future | | Related to #122650, Related to #122539 |
| 122524 | openQA Project | Request for job started RabbitMQ message | New | | future | | |
| 122299 | openQA Project | openQA worker should fail with explicit error message if multi-machine test is triggered but requirements are not fulfilled | New | | future | | Related to #121789 |
| 122296 | openQA Project | Fix openqa-trigger-bisect-jobs to actually remove incidents from bisection tests again | New | szarate | future | | Related to #97118, Related to #131204, Blocks #124370 |
| 121897 | openQA Project | Some log files not shown on assets page | New | | future | | |
| 121774 | openQA Project | LTP cgroup test appears to crash OpenQA worker instance | In Progress | rpalethorpe | future | | |
| 121723 | openQA Project | [saga][epic] Scale out: Future uses of on-premise cloud or public cloud | New | | future | | Copied from #80142 |
| 121579 | openQA Project | Logs of openqa-worker-cacheservice-minion are incomplete and inconsistent | New | | future | | Related to #121573 |
| 121573 | openQA Project | Asset/HDD goes missing while job is running | New | | future | | Related to #121579, Related to #64544, Related to #127550, Related to #152545, Copied to #127754 |
| 121378 | openQA Project | load_templates sometimes fails with "unknown error code", then works after a while | New | | future | | |
| 121354 | openQA Project | Implement purely text based needles | New | clanig | future | | |
| 121117 | openQA Project | Add pagination for GET /experimental/search | New | | future | | Related to #70840, Copied from #121114 |
| 121114 | openQA Project | Add pagination for GET /api/v1/job_settings/jobs | New | | future | | Copied from #121111, Copied to #121117 |
| 121111 | openQA Project | Add pagination for GET /api/v1/job_templates | New | | future | | Copied from #121108, Copied to #121114 |
| 121099 | openQA Project | Add pagination for GET /api/v1/jobs/<job_id:num>/comments | New | | future | | Copied from #121048, Copied to #121102 |
| 120843 | openQA Project | [sporadic] Codecov upload errors for branches other than master - github <--> codecov api 404 | New | | future | | Related to #120175 |
| 120793 | openQA Project | Improve restarting behavior when (dependend) jobs have already been restarted | New | | future | | |
| 120741 | openQA Project | Another try at an openQA wikipedia page | New | | future | | |
| 120336 | openQA Project | Improve scalability of assets listing (API route) size:M | Workable | | future | | Copied from #120315 |
| 120118 | openQA Project | Provide job settings filter options | New | | future | | Related to #117655, Related to #154261, Related to #38807, Related to #154798 |
| 119770 | openQA Project | Show test progress/status during initialization in web UI | New | | future | | |
| 119563 | openQA Project | [darkmode] Update obs_rsync | New | | future | | Related to #119032 |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|----------------|---|----------|----------|----------------|----------|--|
| 119431 | openQA Project | Inform users e.g. in the webUI if not all results are returned size:M | Workable | | future | | Related to #120841, Related to #119428, Copied from #114421 |
| 119428 | openQA Project | Ensure users can get all the data for limited queries, e.g. with pagination | New | | future | | Related to #119431, Copied from #114421 |
| 119425 | openQA Project | Support multi-machine testing with NetworkManager | New | | future | | |
| 119374 | openQA Project | [darkmode] Various tables have broken borders | New | | future | | Related to #119032 |
| 119371 | openQA Project | [darkmode] Search results are bright white | New | | future | | Related to #119032, Related to #70840 |
| 119356 | openQA Project | openqa.opensuse.org login was again redirecting to wrong page due to our javascript code conducting DoS attacks | New | | future | | |
| 118903 | openQA Project | Repositories for wheels should be cached | New | | future | | Copied from #117673, Copied to #138029 |
| 118894 | openQA Project | API Key expiration date has a weird lower bound | New | | future | | |
| 118882 | openQA Project | Make available wheels more discoverable and share knowledge size:S | Workable | | future | | Related to #115001, Related to #117097, Copied from #118633 |
| 118660 | openQA Project | Basic terraform recipe to replace OSD w/ workers (in the cloud) size:M | New | | future | | |
| 118183 | openQA Project | Allow openSUSE.QA.Maint pipeline to look for "build present" | New | | future | | |
| 117673 | openQA Project | [epic][tools] sporadic "Unable to clone Git repository" for wheels | New | | future | | Copied from #117622, Copied to #118903 |
| 117550 | openQA Project | developer mode over ssh bridge "thinks" we are in a "developer setup" needing second port forwarded | New | | future | | Copied to #117553 |
| 117355 | openQA Project | the description of "--skip-deps" from openqa-clone-job command is not exact | New | | future | | |
| 117256 | openQA Project | Run a command in the serial terminal producing a clear output | New | | future | | |
| 117097 | openQA Project | Evaluate GitHub template repositories for wheels | New | | future | | Related to #118882, Related to #138416 |
| 116608 | openQA Project | Support no_wait in send_key_until_needlematch as well | New | | future | | Related to #116554 |
| 116251 | openQA Project | Missing traceback in when no needle matches | New | | future | | |
| 115019 | openQA Project | os-autoinst/wheel-boot which can be used to test os-autoinst/wheel-launcher size:M | Workable | | future | | Copied from #115013, Copied to #115022, Copied to #133301 |
| 115016 | openQA Project | Conduct a workshop to introduce wheels and discuss how to go forward | New | | future | | Copied from #115013 |
| 115013 | openQA Project | os-autoinst-plugin as a wheel helper tool | New | | future | | Related to #138416, Copied from #115004, Copied to #115016, Copied to #115019 |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|----------------|---|--------|----------|----------------|----------|---|
| 115001 | openQA Project | Add documentation how to use/develop wheels visible on open.qa/docs | New | | future | | Related to #118882, Copied to #115004 |
| 114826 | openQA Project | tests/overview page overview may display outdated builds in certain cases | New | | future | | |
| 114769 | openQA Project | Have jobs fail if screen checks take too long, e.g. if there are "two many needles" after warning about it | New | | future | | Related to #114523 |
| 114643 | openQA Project | Add support for virtio keyboard and mouse on aarch64 QEMU | New | | future | | |
| 114529 | openQA Project | RabbitMQ: Wrong id type for restart events | New | | future | | |
| 114466 | openQA Project | [qe-core] test fails in postgresql_server - serial console is unstable under certain conditions | New | | future | | |
| 114454 | openQA Project | Improve error message when HDD_1 is empty | New | | future | | |
| 113761 | openQA Project | jobs restarted with `RETRY` have a comment, so the build gets the grey "commented" 'badge' if all failed jobs were retried | New | | future | | |
| 113758 | openQA Project | Jobs restarted with `RETRY` are not shown as 'clones', so it is hard or impossible find the original job | New | | future | | Related to #104007 |
| 113710 | openQA Project | https://build.opensuse.org/package/show/devel:openQA/os-autoinst_dev and other packages should be triggered whenever git updates | New | | future | | Has duplicate #114914 |
| 113614 | openQA Project | [timeboxed:20h] [spike] Add openQA API for computing diff of executed test modules | New | | future | | Related to #88229, Related to #154768 |
| 113495 | openQA Project | [ui/ux] Priority display improvement suggestion | New | | future | | Related to #49400 |
| 113441 | openQA Project | Try to mitigate "VNC typing issues" with disabled key repeat in linux tty's of qemu tests | New | | future | | Related to #43889, Copied from #110542 |
| 113432 | openQA Project | Changing filters on /tests/overview queries having multiple flavors selected looses all flavors but one | New | | future | | |
| 113408 | openQA Project | bot-ng trigger test two times for incidents | New | | future | | |
| 113402 | openQA Project | Handle error messages in existing helm chart CI test logs | New | | future | | |
| 113240 | openQA Project | openqa-worker@.service returns 0 even when it fails to start | New | | future | | Copied from #105855 |
| 113078 | openQA Project | no investigation job triggered for one case, not even "retry" job? | New | | future | | |
| 112961 | openQA Project | [epic] Followup to "openqa.suse.de is not reachable anymore, response times > 30s, multiple alerts over the weekend" | New | | future | | Related to #126212 |
| 112949 | openQA Project | Exercise to switch off non-critical features and conduct emergency drills | New | | future | | Copied from #112946 |
| 112903 | openQA Project | carried over bugref+label comment undeleteable | New | | future | | |
| 112874 | openQA Project | Jobs stuck in assigned, worker reports to be "currently stopping" for > 21h | New | | future | | |
| 112868 | openQA Project | Helpful instructions to prevent incomplete cluster restarts | New | | future | | |
| 112862 | openQA Project | [saga][epic] Future ideas for easy multi-machine handling: MM-tests as first-class citizens | New | | future | | Copied from #103962 |
| 112748 | openQA Project | Jobs are started despite their chained parent job ran into a timeout | New | | future | | |

| # | Project | Subject | Status | Assignee | Target version | Due date | Related issues |
|--------|----------------|---|----------|----------|----------------|----------|--|
| 112349 | openQA Project | Provide an option to always clone the latest version of the scenario run by the job | New | | future | | Related to #109707, Copied from #112325 |
| 112337 | openQA Project | [ui/ux][easy] OpenQA admin UI: Link to last match of a needle points to invalid URL size:M | Workable | | future | | |
| 112325 | openQA Project | Original job group should be visible in cloned jobs | New | | future | | Copied from #112322, Copied to #112349 |
| 112322 | openQA Project | Scheduled product should work for cloned jobs | New | | future | | Copied to #112325 |
| 112319 | openQA Project | Better and earlier checks of test code against "wrong API usage" | New | | future | | Related to #99663 |

...