

openQA Tests - action #16356

yast2_i fails in not matching needle when the module should be finished

2017-01-31 13:26 - mgriessmeier

Status:	Resolved	Start date:	2017-01-31
Priority:	High	Due date:	
Assignee:	dzedro	% Done:	100%
Category:	Bugs in existing tests	Estimated time:	0.00 hour
Target version:	Milestone 6		
Difficulty:			

Description

observation

yast2_i fails in not matching the needle for 100% to determine when the module has finished - https://openqa.suse.de/tests/746691#step/yast2_i/16

suggestion

since I still don't get the point, why we cover the correct exit of a YaST module with a needle, when we already have a wait_serial, I won't create a new needle for that

workaround

retrigger job

History

#1 - 2017-02-16 10:47 - okurz

- Category set to Bugs in existing tests
- Priority changed from Normal to High
- Target version set to Milestone 6

#2 - 2017-03-06 13:28 - dzedro

- Status changed from New to In Progress
- Assignee set to dzedro

#3 - 2017-03-07 14:27 - okurz

<https://github.com/os-autoinst/os-autoinst-distrib-opensuse/pull/2505> merged, needs validation in production

#4 - 2017-03-09 12:47 - dzedro

- File Screenshot_2017-03-09_13-46-10.png added
- Status changed from In Progress to Resolved
- % Done changed from 0 to 100

Looks good, there are still failures, but they are related to issue with typing.

Files

Screenshot_2017-03-09_13-46-10.png	31.2 KB	2017-03-09	dzedro
------------------------------------	---------	------------	--------