

openQA Project - action #19174

[aarch64] Timeouts waiting for QEMU HMP socket during 'lastgood' snapshots

2017-05-16 08:05 - rpaletorpe

Status:	Rejected	Start date:	2017-05-16
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Support	Estimated time:	0.00 hour
Target version:			
Difficulty:			

Description

Sometimes aarch64 tests timeout waiting for a response from QEMU over HMP. In particular <https://openqa.suse.de/tests/933880>.

```
06:42:01.1674 1294 ||| finished boot_ltp kernel at 2017-05-16 06:42:01 (126 s)
06:42:01.1686 1294 Creating a VM snapshot lastgood
DIE ERROR: timeout reading hmp socket
at /usr/lib/os-autoinst/backend/baseclass.pm line 73.
backend::baseclass::die_handler('ERROR: timeout reading hmp socket\x{a}') called at /usr/lib/os-autoinst/backend/qemu.pm line 923
backend::qemu::_read_hmp('backend::qemu=HASH(0xd22b550)') called at /usr/lib/os-autoinst/backend/qemu.pm line 991
backend::qemu::_send_hmp('backend::qemu=HASH(0xd22b550)', 'savevm lastgood') called at /usr/lib/os-autoinst/backend/qemu.pm line 212
backend::qemu::save_snapshot('backend::qemu=HASH(0xd22b550)', 'HASH(0xd9baf48)') called at /usr/lib/os-autoinst/backend/baseclass.pm line 68
backend::baseclass::handle_command('backend::qemu=HASH(0xd22b550)', 'HASH(0xd9c08b8)') called at /usr/lib/os-autoinst/backend/baseclass.pm line 422
backend::baseclass::check_socket('backend::qemu=HASH(0xd22b550)', 'IO::Handle=GLOB(0xd64c4d8)') called at /usr/lib/os-autoinst/backend/qemu.pm line 1018
backend::qemu::check_socket('backend::qemu=HASH(0xd22b550)', 'IO::Handle=GLOB(0xd64c4d8)', 0) called at /usr/lib/os-autoinst/backend/baseclass.pm line 203
eval {...} called at /usr/lib/os-autoinst/backend/baseclass.pm line 151
backend::baseclass::run_capture_loop('backend::qemu=HASH(0xd22b550)') called at /usr/lib/os-autoinst/backend/baseclass.pm line 122
backend::baseclass::run('backend::qemu=HASH(0xd22b550)', 6, 9) called at /usr/lib/os-autoinst/backend/driver.pm line 85
backend::driver::start('backend::driver=HASH(0xc535e90)') called at /usr/lib/os-autoinst/backend/driver.pm line 48
backend::driver::new('backend::driver', 'qemu') called at /usr/bin/isotovideo line 206
main::init_backend() called at /usr/bin/isotovideo line 271
06:47:01.2664 1296 waitpid for 1302 returned 0
06:47:01.2665 1296 sending TERM to qemu pid: 1302
06:47:02.2668 1296 waitpid for 1302 returned 0
06:47:02.5449 1288 signalhandler got TERM - loop 1
06:47:02.5451 1288 awaiting death of commands process
06:47:02.5505 1288 commands process exited: 1292
06:47:02.5507 1288 awaiting death of testpid 1294
06:47:02.5588 1288 test process exited: 1294
06:47:02.5589 1288 isotovideo failed
```

History

#1 - 2017-05-16 08:30 - szarate

This is the related bsc: https://bugzilla.suse.com/show_bug.cgi?id=1035453

#2 - 2017-05-16 14:58 - okurz

- Category set to Support

- Status changed from New to Rejected

It is http://bugzilla.suse.com/show_bug.cgi?id=1035453