

## openQA Tests - action #30802

### [microos] Add test for kured reboot method

2018-01-24 18:37 - mkravec

<b>Status:</b>	New	<b>Start date:</b>	2018-01-24
<b>Priority:</b>	Low	<b>Due date:</b>	
<b>Assignee:</b>	mkravec	<b>% Done:</b>	0%
<b>Category:</b>	New test	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Difficulty:</b>			
<b>Description</b>			
<a href="https://github.com/thkukuk/transactional-update/pull/2">https://github.com/thkukuk/transactional-update/pull/2</a>			
With the upcoming introduction of "kured" as another reboot method there needs to be some way to choose which method is supposed to be used. This is done by introducing the configuration file /etc/transactional-update.conf.			
<b>Notes:</b>			
The configuration file is sourced after the definition of default variable values, so it is possible to redefine those. This may be a useful (undocumented) side effect, but it may also be worth to consider doing the import earlier to allow only a fixed set of variables (i.e. those mentioned in the man page).			
While it would be trivial to implement there's no mechanism for overriding default files (e.g. /usr/etc/transactional-update.conf) added yet. Instead the configuration options are listed in a separate manual page transactional-update.conf(5).			

#### History

##### #1 - 2018-02-22 20:40 - okurz

- Category set to New test

##### #2 - 2021-09-01 13:55 - okurz

- Priority changed from Normal to Low

This ticket was set to "Normal" priority but was not updated within 730 days which is 2 times the period of the SLO for "Normal" tickets (365 days) as described on <https://progress.opensuse.org/projects/openqatests/wiki/Wiki#SLOs-service-level-objectives>. The ticket will be set to the next lower priority of "Low".