

## qe-yast - action #65384

coordination # 36712 (New): [saga] Use YaST specific framework for GUI testing

coordination # 50672 (In Progress): [functional][y][epic] Use libyui-rest-api for YaST modules testing

### [functional][y] Use JSON in all responses from libyui-rest-api

2020-04-07 10:32 - oorlov

<b>Status:</b>	Resolved	<b>Start date:</b>	2020-04-07
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	riafarov	<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	future		
<b>Description</b>			
<b>Motivation</b>			
Currently, some of the responses from libyu-rest-api (defined in YHttpWidgetsActionHandler.cc) return plain text, whilst others return JSON.			
Example with JSON from YHttpWidgetsActionHandler.cc:			
<pre>65  if ( widgets.empty() ) 66  { 67      body &lt;&lt; "{ \"error\" : \"Widget not found\" }" &lt;&lt; std::endl;</pre>			
Example with plain text from YHttpWidgetsActionHandler.cc:			
<pre>151     else 152     { 153         body &lt;&lt; "Action is not supported for the selected widget: " &lt;&lt; widget-&gt;widgetClass( ) &lt;&lt; std::endl; 154         return MHD_HTTP_NOT_FOUND; 155     }</pre>			
<b>Task</b>			
In order to be consistent all the responses should be changed to JSON.			

### History

#### #1 - 2020-04-08 10:26 - riafarov

- Due date deleted (2020-04-21)

- Target version set to future

#### #2 - 2020-04-21 14:32 - riafarov

- Status changed from New to Resolved

- Assignee set to riafarov

This is fixed now: <https://github.com/rwx788/libyui-rest-api-1/tree/libyui12>