

## qe-yast - action #73474

coordination # 69130 (Closed): [functional][y][epic] Extend test coverage for firstboot

### Add more modules to yast2\_firstboot

2020-10-18 12:17 - syrianidou\_sofia

<b>Status:</b>	Closed	<b>Start date:</b>	2020-10-18
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	JRivrain	<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	SLE 15 SP3		

#### Description

In order to extend coverage for yast2-firstboot , we can modify the yast2-firstboot configuration files of the relevant test suite: <https://openqa.suse.de/tests/4840750>

There already is customized file replacing /etc/YaST2/firstboot.xml after merge of: <https://github.com/os-autoinst/os-autoinst-distri-opensuse/pull/10856>

We should re-use yast2\_firstboot\_custom and use non-default settings for the modules if those are allowed.

Enable firstboot\_ntp, firstboot\_keyboard and inst\_lan modules.

related bugs: [bug#1177797](#) , [bug#960081](#) , [bug#1140199](#) , [bug#1101514](#)

#### History

##### #1 - 2020-10-18 12:18 - syrianidou\_sofia

Blocked by [https://bugzilla.suse.com/show\\_bug.cgi?id=1177797](https://bugzilla.suse.com/show_bug.cgi?id=1177797)

##### #2 - 2020-11-13 15:39 - syrianidou\_sofia

- Status changed from Blocked to New

For inst\_lan, use skip\_detection:

```
<arguments>
  <skip_detection config:type="boolean">true</skip_detection>
</arguments>
```

[https://github.com/yast/yast-network/blob/b3c7b5f27c7aff1d93d99dec37fb485563302dcd/src/lib/network/clients/inst\\_lan.rb#L28-L47](https://github.com/yast/yast-network/blob/b3c7b5f27c7aff1d93d99dec37fb485563302dcd/src/lib/network/clients/inst_lan.rb#L28-L47)

##### #3 - 2021-02-09 09:57 - riafarov

- Description updated

- Status changed from New to Workable

Please, do not work on it, until [#73477](#) is finished/sync with Jonathan.

##### #4 - 2021-02-12 09:47 - JRivrain

- Status changed from Workable to In Progress

- Assignee set to JRivrain

##### #5 - 2021-02-22 14:18 - riafarov

- Target version changed from future to SLE 15 SP3

##### #6 - 2021-03-11 15:54 - JRivrain

Spending more time, as I decided to use libyui and POM for firstboot. It's not the direct scope of this thicket, but I think it's worth it, see <https://github.com/os-autoinst/os-autoinst-distri-opensuse/pull/12108>.

I may not enable the keyboard client ATM because it's still affected by this: [Keyboard layout module page UI in first boot is broken](#) also I'm not sure this client is very used, since there is already "language and keyboard" by default.

**#7 - 2021-04-15 15:20 - JRivrain**

Libyui enabled in firstboot, PR merged :<https://github.com/os-autoinst/os-autoinst-distri-opensuse/pull/12249> (replaces <https://github.com/os-autoinst/os-autoinst-distri-opensuse/pull/12108>)

Adding new clients, waiting for review <https://github.com/os-autoinst/os-autoinst-distri-opensuse/pull/12290>

**#8 - 2021-04-21 15:06 - JRivrain**

- *Status changed from In Progress to Feedback*

**#9 - 2021-04-27 14:51 - JRivrain**

- *Status changed from Feedback to Closed*