

## openQA Project - action #90290

coordination # 58184 (Blocked): [saga][epic][use case] full version control awareness within openQA, e.g. user forks and branches, fully versioned test schedules and configuration settings

coordination # 80372 (Resolved): [epic] Cleanup vars.json as initial information container between openQA worker and isotovideo

coordination # 67723 (Resolved): [epic] Remote openQA worker fails to run tests from openqa-clone-custom-git-refspec

### Relative paths for CASEDIR and others as default to be not bound to specific workers

2021-03-18 12:45 - okurz

<b>Status:</b>	Resolved	<b>Start date:</b>	2021-03-18
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	okurz	<b>% Done:</b>	0%
<b>Category:</b>	Feature requests	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	Ready		
<b>Difficulty:</b>			
<b>Description</b>			
<b>Motivation</b>			
See <a href="#">#67723</a>			
<b>Acceptance criteria</b>			
<ul style="list-style-type: none"><li>• <b>AC1:</b> By default openQA and os-autoinst use relative paths to reference the test distribution directory and needles so that jobs can be cloned between different environments without problems</li></ul>			
<b>Related issues:</b>			
Copied to openQA Project - action #90293: Optional relative paths for CASEDIR...		<b>Resolved</b>	<b>2021-03-18</b>

### History

#1 - 2021-03-18 12:46 - okurz

- Copied to action #90293: Optional relative paths for CASEDIR and others to be not bound to specific workers added

#2 - 2021-04-16 09:55 - okurz

- Status changed from Blocked to Resolved

actually we managed already within [#90293](#) to make relative paths the default. To my knowledge no o3 nor o3 workers are configured to use absolute paths.